


Fencing Types & Transparencies

1. 4' Tall Black Vinyl Chain Link Fence with Acoustifence - 0% Transparency
2. 10' Tall Black Vinyl Chain Link Fence with Wind Screen - 10% Transparency
3. 10' Tall Black Vinyl Chain Link Fence - 95% Transparency



1. Acoustifence - Noise Reducing Fence Panels *REDUCES DECIBEL LEVELS UP TO 50% according to manufacturer data. In combination with buffer vegetation, all noise ordinances will be satisfied.



2. Court Makers - Dura-Air PVC Windscreen (or approved equal)



3. 10' Tall Black Vinyl Chain Link Fence



*Or Approved Equal

RidgeRock PLUS™

PART OF THE GRAVITY LINK SYSTEM

Countless Applications

RidgeRock Plus™ is a revolutionary product that solves your reinforced wall application requirements while also being the linchpin for the RidgeRock Gravity Link System. One product, multiple retaining wall solutions.

Installation Benefits

RidgeRock Plus™ utilizes the same patented Flexible Wing Positioning System (FWPS) as its RidgeRock counterparts. The FWPS mechanism provides flexibility in constructing radii without the loss of shear resistance and provides movement from left to right when needed to align with adjacent blocks. The FWPS system allows wall construction without the need for pins or clips. The integral connection mechanism offers engineers and architects peace of mind that shear will not be lost, and reduces time and effort requirements for contractors.

The PLUS design allows the product to be used with our Gravity Link™ system, as well as full integration with our RidgeRock II® and MAXIM® products. The product can be used with or without geogrid, depending upon application.

Finally, a product that can be switched at will to accommodate limited space constraints and no geogrid applications and easily converted to a standard geogrid reinforced wall when applications allow it.



The RidgeRock Plus™ Positioning Lug

on the bottom of the block provides remarkable shear capacity while allowing maneuverability for difficult installations.



Our Patented Gravity Link™ Channel

provides anchoring at the rear of the unit and provides the ability to connect to other products in a Gravity Link application.

RidgeRock PLUS™


Structural Benefits

The benefit of RidgeRock Plus™ is its ability to stand alone or be used in conjunction with Link Blocks allowing design and construction of walls in a variety of applications. RidgeRock Plus™ can be used with or without geogrid, and can seamlessly transition between gravity and grid applications within the same wall. The most versatile product in the RidgeRock lineup, the PLUS unit can be combined with any RidgeRock facing unit in the same wall, can be used with or without geogrid, and connected to RidgeRock Link block to create a Gravity Link Wall.

Design Aesthetics


Available in Straight or Beveled face, the split face rock texture provides a natural appearance with the option of clean straight lines, or softer shadowed effects. Multiple color choices provide the opportunity to integrate in multiple landscapes and the Belgado face option provides a multi-size unit solution for a higher end look and feel.

Reinforced Wall Detail



* Embedment below grade varies with condition in front of wall. 6" Minimum.

Gravity Wall Detail



Specifications	
Weight (Empty)	74 lbs
Height	8 inches
Depth (front to back)	12 inches
Width (left to right)	18 inches
Face coverage	1.0 sq.ft.
Setback per course	1 inch
* Weight, setback and other dimensions may vary by region. Contact your local representative for specifications and availability. Patent Nos. 10,907,350 6,168,354, 6,474,036, 8,141,315. Other patents pending.	



RidgeRock Retaining Walls
 704-504-3358 office / 704-504-3038 fax
 670 Griffith Road / Charlotte, NC 28217
 PO Box 241233 (28224)
 Ridge-Rock.com

